ELSEVIER

Neuroscience Letters 344 (2003) 215–218

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 344

Adamson, P., see Romero, I.A., 112
Akasu, T., see Takeya, M., 153
Alonso-Magdalena, P., Arguelles, J., Conejo Jimenez, N., Gonzalez-Pardo, H., Perillan, C., Costales, M., Vijande, M., Quantitative histochemical assessment of oxidative metabolism in the subfornical organ after partial aortic ligature in rats, 49
Anello, G., see Guéant-Rodriguez, R.M., 189
Aoki, Y., see Ozawa, T., 65
Arguelles, J., see Alonso-Magdalena, P., 49
Aritaka, S., see Tan, X., 205
Astern, J., see Demchenko, I.T., 53
Atochin, D.N., see Demchenko, I.T., 53

Böttcher, T., von Mering, M., Ebert, S., Meyding-Lamadé, U., Kuhnt, U., Gerber, J., Nau, R., Differential regulation of Toll-like receptor mRNAs in experimental murine central nervous system infections, 17
Bae, S.-r., see Shin, D.H., 25
Baek, K.J., see Kim, T.W., 209
Bajbouj, M., see Lang, U.E., 13
Barba, C., Valeriani, M., Restuccia, D., Colicchio, G., Faraca, G., Tonali, P., Mauguiere, F., The human supplementary motor area-proper does not receive direct somatosensory inputs from the periphery: data from stereotactic depth somatosensory evoked potential recordings, 161
Barcikowska, M., see Styczynska, M., 99
Barin, A.K., McDougall, J.J., Endomorphin-1 causes synovial hypoaemia in rat knee joints via a capsaicin-sensitive neural pathway, 21
Beaudry, P., see Plamont, M.-A., 132
Beaulieu, C., see Engelhorn, T., 127
Bosco, P., see Guéant-Rodriguez, R.M., 189
Boso, A.E., see Demchenko, I.T., 53

Chang, H.-K., see Yang, H.-J., 33
Chang, Y.P., see Shin, D.H., 71
Chasseigneaux, S., see Plamont, M.-A., 132
Chen, H.-Z., see Wang, H., 173
Chiba, T., see Ozawa, T., 65
Cho, S.S., see Shin, D.H., 25
Choi, C.-Y., see Kim, T.W., 209
Choi, Y.S., see Shin, D.H., 71
Chung, J.-H., see Yang, H.-J., 33
Clément, G., see Reber, A., 122
Colicchio, G., see Barba, C., 161
Conejo Jimenez, N., see Alonso-Magdalena, P., 49
Costa, L.G., see Guizzetti, M., 68
Costales, M., see Alonso-Magdalena, P., 49
Couraud, P.-O., see Romero, I.A., 112
Courjon, J.-H., see Reber, A., 122
Curran, B.P., O'Connor, J.J., The inhibition of long-term potentiation in the rat dentate gyrus by pro-inflammatory cytokines is attenuated in the presence of nicotine, 103

Danker-Hopfe, H., see Lang, U.E., 13
de Crespigny, A., see Engelhorn, T., 127
de Wilde, M.C., see Strijkstra, A.M., 29
Debard, R., see Guéant-Rodriguez, R.M., 189
Deisenhammer, E.A., see Weiss, E., 169
Delasnerie-Lauprêtre, N., see Plamont, M.-A., 132
Delazer, M., see Weiss, E., 169
Demchenko, I.T., Atochin, D.N., Boso, A.E., Astern, J., Huang, P.L., Piantadosi, C.A., Oxygen seizure latency and peroxynitrite formation in mice lacking neuronal or endothelial nitric oxide synthases, 53
Denise, P., see Reber, A., 122
Desole, M.S., see Serra, P.A., 9
Dessanti, G., see Serra, P.A., 9
Doerfler, A., see Engelhorn, T., 127
Dunbar, S.A., Karamian, I.G., Periodic abstinence enhances nociception without significantly altering the antinociceptive efficacy of spinal morphine in the rat, 145

Ebert, S., see Böttcher, T., 17
Elwan, M.A., Ishii, T., Sakuragawa, N., Evidence of dopamine D_1 receptor mRNA and binding sites in cultured human amniotic epithelial cells, 157
Engelhorn, T., Doerfler, A., de Crespigny, A., Beaulieu, C., Forsting, M., Moseley, M.E., Multilocal magnetic resonance perfusion mapping comparing the cerebral hemodynamic effects of decompressive craniectomy versus reperfusion in experimental acute hemispheric stroke in rats, 127

Faraca, G., see Barba, C., 161
Felber, S., see Weiss, E., 169
Feldmann, R.E., see Maurer, M.H., 165
Feng, Y., Fratkin, J.D., LeBlanc, M.H., Inhibiting caspase-9 after injury reduces hypoxic ischemic neuronal injury in the cortex in the newborn rat, 201
Fleischhacker, W.W., see Weiss, E., 169
Fogliarino, S., see Terreni, L., 135
Forloni, G., see Terreni, L., 135
Forsting, M., see Engelhorn, T., 127
Fratkin, J.D., see Feng, Y., 201
Frey, J.U., see Straube, T., 5
Fukushima, H., see Hirai, M., 41
Fukuyama, H., see Toma, K., 177

Gérard, R., 189
Gabryelewicz, T., see Styczynska, M., 99

doi:10.1016/S0304-3940(03)00427-0

Gallinat, J., see Lang, U.E., 13
Gerber, J., see Böttcher, T., 17
Golaszewski, S., see Weiss, E., 169
Golebiowski, M., see Styczynska, M., 99
Gonzalez-Pardo, H., see Alonso-Magdalena, P., 49
Greenwood, J., see Romero, I.A., 112
Guéant, J.L., 189
Guéant-Rodriguez, R.M., Rendeli, C., Namour, B., Venuti, L., Romano, A., Anello, G., Bosco, P., Debard, R., Gérard, R., Viola, M., Salvaggio, E., Guéant, J.L., Transcobalamin and methionine synthase reductase mutated polymorphisms aggravate the risk of neural tube defects in humans, 189
Guizzetti, M., Möller, T., Costa, L.G., Ethanol inhibits muscarinic receptor-mediated DNA synthesis and signal transduction in human fetal astrocytes, 68

Höllt, V., see Mayer, P., 62
Han, H., see Wang, L., 91
Hashimoto, K., see Shimizu, E., 95
Hasuo, H., see Takeya, M., 153
Hellweg, R., see Lang, U.E., 13
Hirai, M., Fukushima, H., Hiraki, K., An event-related potentials study of biological motion perception in humans, 41
Hiraki, K., see Hirai, M., 41
Ho, I.K., see Yoo, J.-H., 37
Hofer, A., see Weiss, E., 169
Hoptman, M., see Weiss, E., 169
Horenkamp, T., see Jacobsen, T., 79
Huang, P.L., see Demchenko, I.T., 53
Hut, R.A., see Strijkstra, A.M., 29
Hyun, J.-K., see Shin, D.H., 71

Ilia, M., Sugiyama, Y., Price, J., Gender and age related expression of *Oct-6* – a POU III domain transcription factor, in the adult mouse brain, 138
Ino, H., see Ozawa, T., 65
Ishida, Y., see Shirokawa, T., 212
Ishii, T., see Elwan, M.A., 157
Isobe, K.-i., see Shirokawa, T., 212
Iyo, M., see Shimizu, E., 95

Jacobsen, T., Schröger, E., Horenkamp, T., Winkler, I., Mismatch negativity to pitch change: varied stimulus proportions in controlling effects of neural refractoriness on human auditory event-related brain potentials, 79
Jahng, J.W., see Lee, J.Y., 107
Jang, C.-G., see Yoo, J.-H., 37
Jang, M.-H., see Yang, H.-J., 33
Joppich, G., see Nager, W., 181
Jubin, E., see Romero, I.A., 112

Kamei, Y., see Tan, X., 205
Kang, M.J., Park, M.S., Shin, I.C., Koh, H.C., Modification of cardiovascular response of posterior hypothalamic adenosine A_2 receptor stimulation by adenylate cylase, guanylate cyclase and by K_{ATP} channel blockade in anesthetized rats, 57
Karamian, I.G., see Dunbar, S.A., 145
Karp, J.D., Szczytkowski, J.L., Cyclophosphamide induces dose- and time-dependent elevations in spleen norepinephrine levels of BALB/c mice, 117
Kato, N., see Yokoyama, T., 45
Katsuya, A., see Nakagawa, T., 197
Kawasaki, T., see Takata, K., 87
Kim, C.-J., see Yang, H.-J., 33
Kim, D.G., see Lee, J.Y., 107
Kim, H.J., see Shin, D.H., 25
Kim, J., see Shin, D.H., 25
Kim, J.-W., see Shin, D.H., 71
Kim, K., see Tan, X., 205
Kim, T.W., Lee, C.-H., Choi, C.-Y., Kwon, N.S., Baek, K.J., Kim, Y-G., Yun H.-Y., Nitric oxide mediates membrane depolarization-promoted survival of rat neuronal PC12 cells, 209
Kim, Y.-J., see Yang, H.-J., 33
Kim, Y-G., see Kim, T.W., 209
Kitamura, Y., see Takata, K., 87
Kobrys, M., see Styczynska, M., 99
Koh, H.C., see Kang, M.J., 57
Kohlmetz, C., see Nager, W., 181
Koike, K., see Shimizu, E., 95
Komatsu, N., see Shimizu, E., 95
Korz, V., see Straube, T., 5
Kremser, C., see Weiss, E., 169
Kroslak, T., see Mayer, P., 62
Kuhnt, U., see Böttcher, T., 17
Kumakiri, C., see Shimizu, E., 95
Kuschinsky, W., see Maurer, M.H., 165
Kvetnansky, R., see Nankova, B.B., 149
Kwon, B.S., see Shin, D.H., 71
Kwon, N.S., see Kim, T.W., 209

Lamme, V.A.F., see Supèr, H., 75
Lang, U.E., Gallinat, J., Danker-Hopfe, H., Bajbouj, M., Hellweg, R., Nerve growth factor serum concentrations in healthy human volunteers: physiological variance and stability, 13
Laplanche, J.-L., see Plamont, M.-A., 132
LeBlanc, M.H., see Feng, Y., 201
Lee, C.-H., see Kim, T.W., 209
Lee, E., see Shin, D.H., 71
Lee, J.-H., see Lee, J.Y., 107
Lee, J.Y., Lee, J.-H., Kim, D.G., Jahng, J.W., Dexamethasone blocks the refeeding-induced phosphorylation of cAMP response element-binding protein in the rat hypothalamus, 107
Lee, S.J., see Shin, D.H., 71
Lee, S.-Y., see Yoo, J.-H., 37
Lee, T.-H., see Yang, H.-J., 33
Li, Y., see Wang, L., 91
Lippens, N., see McKeegan, D.E.F., 83
Liu, G., see Wang, L., 91
Loh, H.H., see Yoo, J.-H., 37
Lu, Y., see Wang, H., 173
Lucca, U., see Terreni, L., 135
Luczywek, E., see Styczynska, M., 99

Möbes, J., 181
Möller, T., see Guizzetti, M., 68
Münte, T.F., 181
Masliukov, P.M., Discharge pattern of the sympathetic vertebral nerve activity in kittens in postnatal ontogenesis, 141
Matsuo, K., see Toma, K., 177
Mauguiere, F., 161
Maurer, M.H., Tripps, W.K.C., Feldmann, R.E., Kuschinsky, W., Expres-

sion of vascular endothelial growth factor and its receptors in rat neural stem cells, 165
Mayer, P., Kroslak, T., Tischmeyer, H., Höllt, V., A truncated δ opioid receptor, spontaneously produced in human but not rat neuroblastoma cells, interferes with signaling of the full-length receptor, 62
McDougall, J.J., see Barin, A.K., 21
McKeegan, D.E.F., Lippens, N., Adaptation responses of single avian olfactory bulb neurones, 83
Meyding-Lamadé, U., see Böttcher, T., 17
Michel, C.C., see Romero, I.A., 112
Miele, E., see Serra, P.A., 9
Miele, M., see Serra, P.A., 9
Migheli, R., see Serra, P.A., 9
Minami, M., see Nakagawa, T., 197
Mitrasinovic, O.M., Vincent, V.A.M., Simsek, D., Murphy Jr., G.M., Macrophage colony stimulating factor promotes phagocytosis by murine microglia, 185
Moriya, H., see Ozawa, T., 65
Moseley, M.E., see Engelhorn, T., 127
Muramatsu, H., see Shimizu, E., 95
Muramatsu, T., see Shimizu, E., 95
Murphy Jr., G.M., 185

Nager, W., Kohlmetz, C., Joppich, G., Möbes, J., Münte, T.F., Tracking of multiple sound sources defined by interaural time differences: brain potential evidence in humans, 181
Nakagawa, T., Katsuya, A., Tanimoto, S., Yamamoto, J., Yamauchi, Y., Minami, M., Satoh, M., Differential patterns of *c-fos* mRNA expression in the amygdaloid nuclei induced by chemical somatic and visceral noxious stimuli in rats, 197
Nakai, T., see Toma, K., 177
Nakazato, M., see Shimizu, E., 95
Namour, B., see Guéant-Rodriguez, R.M., 189
Nankova, B.B., Kvetnansky, R., Sabban, E.L., Adrenocorticotropic hormone (MC-2) receptor mRNA is expressed in rat sympathetic ganglia and up-regulated by stress, 149
Nau, R., see Böttcher, T., 17

O'Connor, J.J., see Curran, B.P., 103
Ogane K., see Ohkuma, H., 193
Ohkuma, H., Suzuki, S., Ogane K., Phenotypic modulation of smooth muscle cells and vascular remodeling in intraparenchymal small cerebral arteries after canine experimental subarachnoid hemorrhage, 193
Ohtori, S., see Ozawa, T., 65
Okada, S.-i., see Shimizu, E., 95
Okamura, N., see Shimizu, E., 95
Osborne, P.G., see Wang, L., 91
Ozaki, A., see Tan, X., 205
Ozawa, M., see Toma, K., 177
Ozawa, T., Aoki, Y., Ohtori, S., Takahashi, K., Chiba, T., Ino, H., Moriya, H., The dorsal portion of the lumbar intervertebral disc is innervated primarily by small peptide-containing dorsal root ganglion neurons in rats, 65

Park, M.S., see Kang, M.J., 57
Peoc'h, K., see Plamont, M.-A., 132
Peplonska, B., see Styczynska, M., 99
Perillan, C., see Alonso-Magdalena, P., 49
Pfeffer, A., see Styczynska, M., 99
Piantadosi, C.A., see Demchenko, I.T., 53
Piccoli, F., see Terreni, L., 135
Plamont, M.-A., Chasseigneaux, S., Delasnerie-Lauprêtre, N., Beaudry, P., Peoc'h, K., Laplanche, J.-L., Variation at the *ADAM10* gene locus is not associated with Creutzfeldt–Jakob disease, 132
Price, J., see Ilia, M., 138

Quadri, P., see Terreni, L., 135

Radewicz, K., see Romero, I.A., 112
Reber, A., Courjon, J.-H., Denise, P., Clément, G., Vestibular decompensation in labyrinthectomized rats placed in weightlessness during parabolic flight, 122
Religa, D., see Styczynska, M., 99
Rendeli, C., see Guéant-Rodriguez, R.M., 189
Restuccia, D., see Barba, C., 161
Rocchitta, G., see Serra, P.A., 9
Romano, A., see Guéant-Rodriguez, R.M., 189
Romero, I.A., Radewicz, K., Jubin, E., Michel, C.C., Greenwood, J., Couraud, P.-O., Adamson, P., Changes in cytoskeletal and tight junctional proteins correlate with decreased permeability induced by dexamethasone in cultured rat brain endothelial cells, 112
Ruggieri, R.M., see Terreni, L., 135

Sabban, E.L., see Nankova, B.B., 149
Sakuragawa, N., see Elwan, M.A., 157
Salama, R.H.M., see Shimizu, E., 95
Salvaggio, E., see Guéant-Rodriguez, R.M., 189
Sato, S., see Toma, K., 177
Satoh, M., see Nakagawa, T., 197
Schröger, E., see Jacobsen, T., 79
Serra, P.A., Susini, G., Rocchitta, G., Migheli, R., Dessanti, G., Miele, E., Desole, M.S., Miele, M., Effects of sufentanil on the release and metabolism of dopamine and ascorbic acid and glutamate release in the striatum of freely moving rats, 9
Shen, L., Zhang, J., Ginsenoside Rg1 increases ischemia-induced cell proliferation and survival in the dentate gyrus of adult gerbils, 1
Shibui, K., see Tan, X., 205
Shimizu, E., Hashimoto, K., Salama, R.H.M., Watanabe, H., Komatsu, N., Okamura, N., Koike, K., Shinoda, N., Nakazato, M., Kumakiri, C., Okada, S.-i., Muramatsu, H., Muramatsu, T., Iyo, M., Two clusters of serum midkine levels in drug-naive patients with schizophrenia, 95
Shimohama, S., see Takata, K., 87
Shin, D.H., Kim, H.J., Kim, J., Bae, S.-r., Cho, S.S., Heat shock protein 108 mRNA expression during chicken retina development, 25
Shin, D.H., Lee, E., Hyun, J.-K., Lee, S.J., Chang, Y.P., Kim, J.-W., Choi, Y.S., Kwon, B.S., Growth-associated protein-43 is elevated in the injured rat sciatic nerve after low power laser irradiation, 71
Shin, I.C., see Kang, M.J., 57
Shin, M.-C., see Yang, H.-J., 33
Shinoda, N., see Shimizu, E., 95
Shirokawa, T., Ishida, Y., Isobe, K.-i., Age-related changes in the release and uptake activity of presynaptic axon terminals of rat locus coeruleus neurons, 212
Siedentopf, C.M., see Weiss, E., 169
Simsek, D., see Mitrasinovic, O.M., 185
Spekreijse, H., see Supèr, H., 75
Stieler, J., see Strijkstra, A.M., 29
Straube, T., Korz, V., Frey, J.U., Bidirectional modulation of long-term potentiation by novelty-exploration in rat dentate gyrus, 5
Strijkstra, A.M., Hut, R.A., de Wilde, M.C., Stieler, J., Van der Zee, E.A.,

Hippocampal synaptophysin immunoreactivity is reduced during natural hypothermia in ground squirrels, 29
Styczynska, M., Religa, D., Pfeffer, A., Luczywek, E., Wasiak, B., Styczynski, G., Peplonska, B., Gabryelewicz, T., Golebiowski, M., Kobrys, M., Barcikowska, M., Simultaneous analysis of five genetic risk factors in Polish patients with Alzheimer's disease, 99
Styczynski, G., see Styczynska, M., 99
Sugiyama, Y., see Ilia, M., 138
Supèr, H., Spekreijse, H., Lamme, V.A.F., Figure–ground activity in primary visual cortex (V1) of the monkey matches the speed of behavioral response, 75
Susini, G., see Serra, P.A., 9
Suzuki, H., see Tan, X., 205
Suzuki, S., see Ohkuma, H., 193
Szczytkowski, J.L., see Karp, J.D., 117

Tagaya, H., see Tan, X., 205
Takahashi, K., see Ozawa, T., 65
Takahashi, K., see Tan, X., 205
Takata, K., Kitamura, Y., Tsuchiya, D., Kawasaki, T., Taniguchi, T., Shimohama, S., Heat shock protein-90-induced microglial clearance of exogenous amyloid-β_{1-42} in rat hippocampus in vivo, 87
Takeya, M., Hasuo, H., Akasu, T., Contribution of nitric oxide to the depression of neuronal activity induced by temperature increase in the rat hippocampal CA1 area, 153
Tan, X., Uchiyama, M., Shibui, K., Tagaya, H., Suzuki, H., Kamei, Y., Kim, K., Aritaka, S., Ozaki, A., Takahashi, K., Circadian rhythms in humans' delta sleep electroencephalogram, 205
Taniguchi, T., see Takata, K., 87
Tanimoto, S., see Nakagawa, T., 197
Terreni, L., Fogliarino, S., Quadri, P., Ruggieri, R.M., Piccoli, F., Tettamanti, M., Lucca, U., Forloni, G., Tumor necrosis factor α polymorphism C-850T is not associated with Alzheimer's disease and vascular dementia in an Italian population, 135
Tettamanti, M., see Terreni, L., 135
Tischmeyer, H., see Mayer, P., 62
Toma, K., Ozawa, M., Matsuo, K., Nakai, T., Fukuyama, H., Sato, S., The role of the human supplementary motor area in reactive motor operation, 177
Tonali, P., see Barba, C., 161
Tripps, W.K.C., see Maurer, M.H., 165
Tsuchiya, D., see Takata, K., 87

Uchiyama, M., see Tan, X., 205

Valeriani, M., see Barba, C., 161
Van der Zee, E.A., see Strijkstra, A.M., 29
Venuti, L., see Guéant-Rodriguez, R.M., 189
Vijande, M., see Alonso-Magdalena, P., 49
Vincent, V.A.M., see Mitrasinovic, O.M., 185
Viola, M., see Guéant-Rodriguez, R.M., 189
von Mering, M., see Böttcher, T., 17

Wang, H., Lu, Y., Chen, H.-Z., Differentiating effects of anisodamine on cognitive amelioration and peripheral muscarinic side effects induced by pilocarpine in mice, 173
Wang, L., Li, Y., Han, H., Liu, G., Osborne, P.G., Perfusate oxygen and carbon dioxide concentration influence basal microdialysate levels of striatal glucose and lactate in conscious rats, 91
Wasiak, B., see Styczynska, M., 99
Watanabe, H., see Shimizu, E., 95
Weiss, E., Siedentopf, C.M., Hofer, A., Deisenhammer, E.A., Hoptman, M., Kremser, C., Golaszewski, S., Felber, S., Fleischhacker, W.W., Delazer, M., Sex differences in brain activation pattern during a visuospatial cognitive task: a functional magnetic resonance imaging study in healthy volunteers, 169
Winkler, I., see Jacobsen, T., 79

Yamada, N., see Yokoyama, T., 45
Yamamoto, J., see Nakagawa, T., 197
Yamauchi, Y., see Nakagawa, T., 197
Yang, E.-M., see Yoo, J.-H., 37
Yang, H.-J., Shin, M.-C., Chang, H.-K., Jang, M.-H., Lee, T.-H., Kim, Y.-J., Chung, J.-H., Kim, C.-J., Bupivacaine and ropivacaine suppress glycine- and glutamate-induced ion currents in acutely dissociated rat hippocampal neurons, 33
Yokoyama, T., Kato, N., Yamada, N., Development of a high-throughput bioassay to screen melatonin receptor agonists using human melatonin receptor expressing CHO cells, 45
Yoo, J.-H., Yang, E.-M., Lee, S.-Y., Loh, H.H., Ho, I.K., Jang, C.-G., Differential effects of morphine and cocaine on locomotor activity and sensitization in μ-opioid receptor knockout mice, 37
Yun H.-Y., see Kim, T.W., 209

Zhang, J., see Shen, L., 1